Each

8 + 06/11/

Thursday, 11/9/2006 4:38:25 PM Kim Johnston User: **Process Sheet** : SPACER : CU-DAR001 Dart Helicopters Services **Drawing Name** Customer Job Number : 29401 : 10692 **Estimate Number** : NIA **Part Number** : D32863 P.O. Number S.O. No. : NA : D3286 REV A : 11/9/2006 **Drawing Number** This Issue **Project Number** : N/A Prsht Rev. Type : MACHINED PARTS **Drawing Revision** First Issue : 29015 Material **Previous Run** : 11/24/2006 Due Date Written By Checked & Approved By New issue KJ/JLM Comment : Est A **Additional Product** Job Number: Description: Seq. #: **Machine Or Operation:** M304TR0500W049 304 RD Tube .500 x .049W 1.0 Comment: Qty.: 0.3588 f(s)/Unit Total: 7.1757 f(s) 304 RD Tube .500 x .049W Turn (2) D3286-3 per (1) skidtube assemblyDwg D3286 Material: AISI 304/316 SS tubing 0.500" OD x 0.049" wall M 102 742  $\times$  2 (M304TR0.500W.049) Identify as D3286-3 HARDINGE Comment: HARDINGE CNC LATHE SMALL Turn blanks as per Folio FA434 and Dwg D3286 3.0 QC2 INSPECT PARTS AS THEY COME OFF MACHINE Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0 QC8 SECOND CHECK

Comment: SECOND CHECK SMALL FAB

SMALL & MEDIUM FAB RESOURCE 1

5.0

Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr

SF 01/02/03

## **Dart Aerospace Ltd**

W/O:		WORK ORDER CHANGES								
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
Part No	:	PAR #: Fault Category:	NCR: Yes	No DQ		_ Date: 💍	762/07			

QA: N/C Closed: \_\_\_\_ Date: \_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B	Verification	A	A			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector		
				,						
			·			2				
•					,					
						*				
	-									

NOTE: Date & initial all entries

Thursday, 11/9/2006 4:38:26 PM Date: User: Kim Johnston **Process Sheet** Drawing Name: SPACER Customer: CU-DAR001 Dart Helicopters Services Part Number: D32863 Job Number: 29401 Job Number: Description: Seq. #: Machine Or Operation: INSPECT WORK TO CURRENT STEP 6.0 QC5 Comment: INSPECT WORK TO CURRENT STEP PACKAGING RESOURCE #1 7.0 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: QC21 8.0 Comment: FINAL INSPECTION/W/O RELEASE Job Completion U 0202.07

Dart Ae	rospace	Lta											
W/O:		WORK ORDER CHANGES											
DATE	STEP	PRO	OCEDURE CHA	NGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
			•										
								,					
		·											
Part No	:	PAR #:	Fault Cate	gory:	NC	R: Yes N	lo DQA:		Date:				
						QA: N/	C Closed:		_ Date: _				
NCR:			WORK ORD	ER NON-CONF	ORMANC	E (NCR)							
		Description of NC		<b>Corrective Action</b>	Section B		Verificat	tion	Approval	Approval			
DATE	STEP	STEP Section A Initial Chief Eng	Action Descri Chief Eng		ion Sign & Date		С	Chief Eng	QC Inspector				

NCR:		WORK CREEK HOR COM CHANAGE (NOW)								
		Description of NC Corrective Action Section B					A	Annewal		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector		

NOTE: Date & initial all entries


DART AEROSPACE LTD	Work Order:	29401
Description: Spacer	Part Number:	D3286-3
Inspection Dwg: D3286 Rev: A		Page 1 of 1

	FIRST ARTICLE INSPECTION CHECKLIST								
	Х	First Article Pro			ototype				
Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection		omments		
4.000	+/-0.010	4.000	/ /						
0.500	+/-0.010	.501							
				,					
				-					
							1		
Measured by:	18/ MS	Audited by:	Ms		Prototype A	pproval:	N/A		
Date:	6/1/11	Date:	07/0	ગજ		Date:	N/A		
Rev         Date           A         04.09.01	Change New Issue				F	Revised by	y Approved		





04.05.06 NEW ISSUE



D3286-1 DOUBLER

1) MATERIAL: AISI 304/316 SS SHEET 0.125" THICK (REF DART SPEC. M304S11GA)

BREAK ALL SHARP EDGES 0.010 TO 0.020

TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

ALL DIMENSIONS ARE IN INCHES


SHOP COPY RETURN TO ENGINEERING INCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE

Copyright 2004 by DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.



DESIGN	DRAWN BY		PACE USA, INC.
CHECKED,	APPROVED,	DRAWING NO. D3286	REV. A SHEET 2 OF 2
DATE	J	TITLE	SCALE
04.05.06		GROUND HANDLING	PARTS 1:1



D3286-3 SPACER

1) MATERIAL: AISI 304/316 SS TUBING, 0.500 O.D. x 0.049 WALL (REF DART SPEC. M304TR0.500W.049)

2) BREAK ALL SHARP EDGES 0.010 TO 0.020 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

4) ALL DIMENSIONS ARE IN INCHES

SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE WORK ORDER

Copyright @ 2004 by DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.